

THE LUXURY LINE

*Bath Craft*



LUXURY ACRYLIC WHIRLPOOLS,  
AIR BATHS, AND COMBO BATHS

# WHIRLPOOLS

Experience a powerful, deep tissue, therapeutic massage, which will soothe muscles and joints while releasing tension. Our 6-8 standard, high performance jets will promote increased blood flow, improve flexibility and help reduce accumulated toxins.

The whirlpool system lets you control the water and air mixture to achieve the desired intensity of your massage. Air may be added to soften the massage. The air flow is adjusted by two silent air controls and the water flow is adjusted on each jet from fully open to fully closed. You may have a gentle, soothing massage or gradually increase the intensity to achieve a vigorous, deep tissue massage. The direction of each jet can be targeted to a specific area of the body.

The system is equipped with a powerful 2 HP pump and additional pumps and water heaters may be added. Standard jets are adjustable for water flow, air flow, and direction. Optional massage jets available are: lumbar, back, neck and pulsating. Matching trim is supplied with all standard colors. A wide range of options are available, chromatherapy, aromatherapy, bariatric, heavy duty, ozonator, variable speeds, grab bars, fashion colors, metallic finish, low water sensor, timer, touch pad control, faucets and hand showers.



# AIR BATHS

Thousands of warm air bubbles provide an invigorating and yet a relaxing, light, full body massage. The warm air movement increases blood circulation, soothes muscles and produces a feeling of well being.

The air massage system has 16 smooth, easy to clean, powerful air injectors located on the lower side walls of the tub. The system has a variable speed blower which allows you to set the pressure at your desired level, soft and gentle or increase to a more intense level. You may also choose to experience a wave cycle, which takes the speed gradually from the minimum to the maximum or the pulsating cycle which takes the speed directly from the minimum to the maximum and then back to the minimum. You choose the massage that you want to experience.

The system is equipped with a powerful air blower that includes a 600 watt ceramic air heater that provides 101-104 degree warm air for the massage. A check valve system and an automatic purge system assure the removal of water from the air supply lines, thus providing a very hygienic system. 1500 watt and 4000 watt water heaters are available. Matching trim is supplied with all standard colors. Many options are available, chromatherapy, aromatherapy, bariatric, heavy duty, grab bars, fashion colors, metallic trim, faucets and hand showers.

**YOU CAN CREATE YOUR CUSTOM WHIRLPOOL OR AIR BATH**

# COMBO BATHS

Use both the Whirlpool and Air Bath systems to create your own hydromassage experience. You will be able to have a deep tissue, high intensity whirlpool massage , a light , relaxing, gentle full body air massage or anything in between! Enjoy the feeling of well being, while obtaining better blood circulation, improved flexibility, soothed muscles and reduced tension.

The whirlpool and air bath systems operate as described on page two. The combo system enables you to meet the needs of various family members and allows you to address their individual needs. Depending on the needs and desires of each family member you can enjoy the whirlpool system, air massage system or both simultaneously.

The combo tub has all the equipment of both the whirlpool system and air tub system. They can operate separately or in unison.



# SOAKER BATHS

A tub and warm water will help you relax and reduce tension while increasing blood flow and create a feeling of well being. The tubs are made of acrylic which provide superb strength, warmth, and color longevity, while being stain and scratch resistant. The fiberglass and resin premium reinforcement provides additional strength and insulation. All installation bases are pre-leveled and all tubs have textured floors & ergonomic designs. Pillows are standard on nearly all models.

Options available are chromotherapy, bariatric, heavy duty, water heaters, grab bars, fashion colors, faucets and hand showers.

## COLORS

The Luxury Line tubs can be ordered in a wide variety of acrylic colors with complimentary color match trim on standard colors. Metallic finish trim can be ordered to compliment bathroom faucets.

### STANDARD ACRYLIC COLORS

064 White	528 Biscuit	391 Almond
345 Bone	658 Linen	

### FASHION ACRYLIC COLORS

252 Black	222 Mexican Sand	080 Innocent Blush
817 Cashmere	816 Sandbar	078 Thunder Gray
233 Red	325 Sea Foam	695 Ice Gray
815 Tea Green	370 Sterling Silver	

### MARBLE ACRYLIC COLORS

8100 Pearl Shadow	8103 Desert Horizon	8001 Alba
8102 Majestic Sky	6786 Mystic Emerald	6790 Summer Sapphire
6770 Navy	6427 Sterling Silver	

YOU CAN CREATE YOUR CUSTOM COMBO OR SOAKER BATH


# WHIRLPOOLS, AIR TUBS, COMBO TUBS

Made in USA


- Floor construction - 3/4" non-flex OSB reinforced wood
- Pre-leveled installation base
- No installation mortar needed
- Deck reinforced with 1/2" rigid steel rod on larger models
- Heavy acrylic for strength/durability
- Rigid piping
- Long lasting, no leak gaskets
- Multiple pump locations
- Dual air volume controls
- Premium resin reinforcement, no shrink or warp




BASE



FLOOR CONSTRUCTION



DECK REINFORCEMENT



- 2 HP motor
- Fully adjustable jets
- Pillows included on most models
- Extra deep tub in all models
- Designer comfort arm rests
- Lumbar support molded in every tub
- Designer textured tub bottom
- Lifetime Pump/Blower warranty
- Lifetime tub shell warranty
- 5 year plumbing system warranty
- Easy clean jets



ADJUSTABLE JET



TWO HORSEPOWER PUMP



PILLOW

## Options for your personal custom whirlpool:

- Hydrotherapy back massage
- Hydrotherapy neck pillow
- Lumbar jet package
- Chromatherapy (mood light)
- Aromatherapy
- Ozonator
- Bariatric/Heavy Duty
- Maximum color selection in the industry
- Custom pump & jet locations



MASSAGE PILLOW



GRAB BAR

- Water heaters
- Electronic controls with timer and low water sensor
- Variable speed motors
- Additional jets available
- Grab Bars
- Waste & Overflow Drains
- Faucets
- Hand showers
- Metallic finish trim



LUMBAR JET PACKAGE



### Sales & Customer Service

phone: 800.930.0050

fax: 800.930.0051

email: sales@luxurylinetubs.com

web: www.luxurylinetubs.com

### Facilities

1610 James Rodgers Drive  
Valdosta, GA 31601

510 E Jones St  
Wilson, NC 27893



Made in USA

### **Alternate Pump/Blower Locations**

Alternate pump/blower location is available on most models, consult specification sheets for location

### **Attachable Skirt**

Most rectangle & corner models can accommodate a factory installed acrylic skirt

### **Aromatherapy**

Aromatic scents are dispersed to provide a pleasant and holistic experience

### **Bariatric**

Additional tub reinforcement for individuals up to 500 pounds

### **Chromatherapy**

LED system of 10 colors that assists in relaxation, meditation and stimulation

### **Controls**

**Solo Touch** - Touch pad controls that include on/off, 6 speed pump, low water sensor, timer, and a pulsating massage mode

**Mountain Air** - Push button control that includes on/off, low water sensor, and timer features

### **Faucets**

Roman tub fillers, hand showers, and matching sink faucets are available in chrome, brushed nickel and bronze

### **Grab Bars**

Attractive, durable 8" and 11" acrylic grab bars are factory installed

### **Heaters (water)**

An inline heater is available for whirlpools and a heater/pump is available for Air Tubs and Soakers. Maintains temperature between 101-104 degrees

### **Heavy Duty**

Additional tub reinforcement for two person tubs or for individuals up to 500 pounds

### **Jets**

**Lumbar Package** - Two pulsing/spinning jets in the lower back area

**Back Massage System** - Eight micro jets with 3/4 HP pump, variable speed and adjustable water/air mix.

**Neck Massage Pillow** - Two jets with 3 speeds and two pulsation modes

### **Ozonator**

A safe whirlpool sanitation system that operates whenever the whirlpool is in operation

### **Tiling Flange**

Provides a water tight installation between tub and wall

### **Trim**

**Whirlpool** - Metallic finishes of chrome, brushed nickel, bronze, and polished brass

**Air Tub** - Metallic finishes of chrome, brushed nickel, and polished brass

### **Waste & Overflow Drains**

Cable operated available in 5 colors and 4 metallic finishes

To Touch/Deeper Soak available in 4 metallic finishes



Sales & Customer Service  
phone: 800.930.0050  
fax: 800.930.0051  
email: sales@luxurylinetubs.com  
web: www.luxurylinetubs.com

Facilities  
1610 James Rodgers Drive  
Valdosta, GA 31601  
510 E Jones St  
Wilson, NC 27893

## HYDROTHERAPY

# B A C K   M A S S A G E   S Y S T E M

The ultimate back massage experience is available on all Luxury Line Products

Eight powerful micro jets are specially located along the lumbar area from the shoulder blades to the lower back. This package comes standard with a powerful 3/4 horsepower motor and can be operated independently or in addition to the 2 horsepower standard whirlpool system. You adjust the air/water mix and the speed at which these jets alternate up and down your lumbar region, like the magic fingers of a trained masseuse.

### Option Features:

- 3/4 horsepower motor operated Hydrotherapy Back Massage System and a 2 horsepower motor operates the standard whirlpool package when ordered with the whirlpool
- 8 micro jets, available in white, bone, biscuit, almond, linen, chrome, brushed nickel, bronze, or polished brass
- Diverter valve, plus special air control, allows for control of back jets' bubble action and sequence speed
- Can be used on whirlpools, air tubs, combo tubs or soakers



Sales & Customer Service  
phone: 800.930.0050  
fax: 800.930.0051  
email: sales@luxurylinetubs.com  
web: www.luxurylinetubs.com

Facilities  
1610 James Rodgers Drive  
Valdosta, GA 31601  
510 E Jones St  
Wilson, NC 27893

# HYDROTHERAPY

## Neck Massage Pillow

**R**elief for stressed-out neck muscles is finally here.

Circulation through the neck muscles is key to relieving stress and stiffness. This Neck Massage Pillow is designed to improve circulation with blood flow to RELAX muscle tension.

The Neck Massage Pillow directs a flow of warm water onto the neck.

You choose the massage you desire by selecting whether the hydro-massage will be:

- Continuous or pulsating water flow
- Simultaneous or alternating jet action

You also choose intensity level:

- Level One: Subtle and gentle
- Level Two: More vigorous and soothing
- Level Three: Quite intense for maximum relief

All controls are via a Touch Pad

- Includes a 20 minute timer

The system can be powered by the main 2 HP whirlpool pump or the 3/4 HP back massage pump

Choose from among the vast ensemble of luxurious options to upgrade and customize your Luxury Line Whirlpool.



Sales & Customer Service  
phone: 800.930.0050  
fax: 800.930.0051  
email: sales@luxurylinetubs.com  
web: www.luxurylinetubs.com

Facilities  
1610 James Rodgers Drive  
Valdosta, GA 31601  
510 E Jones St  
Wilson, NC 27893

## HYDROTHERAPY

# AIR MASSAGE SYSTEM

The Hydrotherapy Air Massage System from Luxury Line offers a completely new dimension to jetted tubs.

A complete, full body massage results from warm forced air circulating throughout the tub, soothing tired muscles and joints.

These special turbo air jets are strategically placed along the lower tub wall to most effectively reach all parts of the body. The Hydrotherapy Air Massage System delivers the ultimate in hygienic conditions. There is no re-circulated water in the system and a blow down drying cycle prevents any water retention throughout the system.

### Option Features:

- 16 lateral turbo air jets - side wall mounted and will not retain water - available in white, bone, biscuit, almond, linen, chrome, brushed nickel, bronze, or polished brass
- Warm air blower, extra powerful 2 horsepower with 600 watt heating element standard
- 1500 & 4000 watt water heaters available
- Electronic control provides one-touch on/off, variable speed, wave cycle, and pulsating cycle
- Automatic water purge cycle
- Can be used with whirlpool system to create a combo tub



Sales & Customer Service  
phone: 800.930.0050  
fax: 800.930.0051  
email: sales@luxurylinetubs.com  
web: www.luxurylinetubs.com

Facilities  
1610 James Rodgers Drive  
Valdosta, GA 31601  
510 E Jones St  
Wilson, NC 27893

# F A U C E T S

## R E A D Y   T O   M O U N T

**VENICE**

Model	Description
LL600	Roman Tub CH
LL601	Roman Tub BN
LL602	Roman Tub BZ



Model	Description
LL605	Hand Shower CH
LL606	Hand Shower BN
LL607	Hand Shower BZ



Model	Description
LL610	Widespread CH
LL611	Widespread BN
LL612	Widespread BZ



Model	Description
LL615	4" Centerset CH
LL616	4" Centerset BN
LL617	4" Centerset BZ

**VICTORIAN**

Model	Description
LL620	Roman Tub CH
LL621	Roman Tub BN
LL622	Roman Tub BZ



Model	Description
LL625	Hand Shower CH
LL626	Hand Shower BN
LL627	Hand Shower BZ



Model	Description
LL630	Widespread CH
LL631	Widespread BN
LL632	Widespread BZ



Model	Description
LL635	4" Centerset CH
LL636	4" Centerset BN
LL637	4" Centerset BZ

**BELLVIEW**

Model	Description
LL640	Roman Tub CH
LL641	Roman Tub BN
LL642	Roman Tub BZ



Model	Description
LL650	Widespread CH
LL651	Widespread BN
LL652	Widespread BZ



Model	Description
LL655	4" Centerset CH
LL656	4" Centerset BN
LL657	4" Centerset BZ

**SUNSET**

Model	Description
LL700	Roman Tub CH
LL701	Roman Tub BN



Model	Description
LL710	Widespread CH
LL711	Widespread BN



Model	Description
LL715	4" Centerset CH
LL716	4" Centerset BN

**STANTON**

Model	Description
LL680	Roman Tub CH
LL681	Roman Tub BN



Model	Description
LL690	Widespread CH
LL691	Widespread BN



Model	Description
LL695	4" Centerset CH
LL696	4" Centerset BN

**KEYSTONE**

Model	Description
LL720	Roman Tub CH



Model	Description
LL745	4" Acrylic w/ pop up CH



Model	Description
LL755	Single Lever Acrylic

**FAUCETS**

- Includes spout, handles, and 12" stainless steel rough hook up
- Solid brass waterways
- 4" and 6-8" sink center sets
- Ceramic disc cartridges
- Brass pop ups on sinks
- Decorative spouts
- ADA compliant
- 60" stainless steel braided hose on hand showers

Sales & Customer Service

phone: 800.930.0050

fax: 800.930.0051

email: sales@luxurylinetubs.com

web: www.luxurylinetubs.com

Facilities

1610 James Rodgers Drive

Valdosta, GA 31601

510 E Jones St  
Wilson, NC 27893



THE AARYN


## A A R Y N

AARYN	WHIRLPOOL	8162AW
AARYN	AIR BATH	8162AA
AARYN	COMBO BATH	8162AWA
AARYN	TUB ONLY	8162AT



INSTALLATION NOTES: Install this acrylic fixture according to the installation manual. Confirm specifications before starting installation.

ELECTRICAL REQUIREMENTS: Whirlpool pump/motor 120V, 20A, 60HZ, Air Blower/Heater 120V, 20A, 60HZ. Dedicated GFCI required.

All dimensions are  $\pm \frac{1}{4}$ " and subject to change without notice.



SPECIFICATIONS	WHIRLPOOL	SOAKER AIR/COMBO
81" x 63 1/4" x 24 1/2" Lip 3 1/2"		
Water Capacity - Operating Level .....	85.0 gal.	
- To Overflow .....	135.0 gal.	135.0 gal.
Approx. Unit Weight.....	245.0 lbs.	210.0 lbs.
Water Depth to Overflow .....	18"	18"



Sales & Customer Service  
 phone: 800.930.0050  
 fax: 800.930.0051  
 email: sales@luxurylinetubs.com  
 web: www.luxurylinetubs.com

Facilities  
 1610 James Rodgers Drive  
 Valdosta, GA 31601  
 510 E Jones St  
 Wilson, NC 27893



## THE ASHLEIGH

ALSO AVAILABLE WITH AN OPTIONAL  
ATTACHED SKIRT WITH REMOVABLE ACCESS PANEL

# A S H L E I G H


ASHLEIGH	WHIRLPOOL	6060AW
ASHLEIGH	AIR BATH	6060AA
ASHLEIGH	COMBO BATH	6060AWA
ASHLEIGH	TUB ONLY	6060AT

INSTALLATION NOTES: Install this acrylic fixture according to the installation manual. Confirm specifications before starting installation.



ELECTRICAL REQUIREMENTS: Whirlpool pump/motor 120V, 20A, 60HZ, Air Blower/Heater 120V, 20A, 60HZ. Dedicated GFCI required.

All dimensions are  $\pm \frac{1}{4}$ " and subject to change without notice.

Available with an attachable skirt with removable access panel.



SPECIFICATIONS	WHIRLPOOL	SOAKER AIR/COMBO
59 $\frac{1}{8}$ " x 59 $\frac{1}{8}$ " x 22" x 22" x 52 $\frac{1}{4}$ " x 23" Lip 2"		
Water Capacity - Operating Level .....	45.0 gal.	
To Overflow .....	82.0 gal.	82.0 gal.
Approx. Unit Weight.....	190.0 lbs.	155.0 lbs.
Water Depth to Overflow .....	17 $\frac{3}{4}$ "	17 $\frac{3}{4}$ "



Sales & Customer Service  
phone: 800.930.0050  
fax: 800.930.0051  
email: sales@luxurylinetubs.com  
web: www.luxurylinetubs.com

Facilities  
1610 James Rodgers Drive  
Valdosta, GA 31601  
510 E Jones St  
Wilson, NC 27893



## THE AVALON I & II

# AVALON I & II

I	AVALON I	WHIRLPOOL	6042AW
	AVALON I	AIR BATH	6042AA
	AVALON I	COMBO BATH	6042AWA
	AVALON I	TUB ONLY	6042AT
II	AVALON II	WHIRLPOOL	7248AW
	AVALON II	AIR BATH	7248AA
	AVALON II	COMBO BATH	7248AWA
	AVALON II	TUB ONLY	7248AT



INSTALLATION NOTES: Install this acrylic fixture according to the installation manual. Confirm specifications before starting installation.

ELECTRICAL REQUIREMENTS: Whirlpool pump/motor 120V, 20A, 60HZ, Air Blower/Heater 120V, 20A, 60HZ. Dedicated GFCI required.

All dimensions are  $\pm \frac{1}{4}$ " and subject to change without notice.

Available with an optional attachable skirt with removable access panel.

Not for use with a shower application.



MODEL #	A	B	C	D	E	F	G	H
6042	41 $\frac{3}{4}$	59 $\frac{5}{8}$	23	27	43	7	29 $\frac{3}{4}$	4 $\frac{1}{4}$
7248	48	71 $\frac{1}{4}$	23	34	50	8	35 $\frac{5}{8}$	3 $\frac{3}{4}$

MODEL #	WATER CAPACITY OPERATING LEVEL	WATER CAPACITY TO OVERFLOW	WATER DEPTH TO OVERFLOW	APPROX. UNIT WT.
6042 WHIRL/AIR/COMBO	55 gal.	93 gal.	17 $\frac{1}{2}$	170 lbs.
6042 SOAKER	-	93 gal.	17 $\frac{1}{2}$	135 lbs.
7248 WHIRL/AIR/COMBO	66 gal.	115 gal.	16 $\frac{1}{2}$	210 lbs.
7248 SOAKER	-	115 gal.	16 $\frac{1}{2}$	175 lbs.



Sales & Customer Service  
phone: 800.930.0050  
fax: 800.930.0051  
email: sales@luxurylinetubs.com  
web: www.luxurylinetubs.com

Facilities  
1610 James Rodgers Drive  
Valdosta, GA 31601  
510 E Jones St  
Wilson, NC 27893



## THE BRAXTON

ALSO AVAILABLE WITH AN OPTIONAL ATTACHED  
SKIRT WITH REMOVABLE ACCESS PANEL

# B R A X T O N

BRAXTON	WHIRLPOOL	6060BW L/R*
BRAXTON	AIR BATH	6060BA L/R*
BRAXTON	COMBO BATH	6060BWA L/R*
BRAXTON	TUB ONLY	6060BT L/R*


\* Left or Right Drain

INSTALLATION NOTES: Install this acrylic fixture according to the installation manual. Confirm specifications before starting installation.



ELECTRICAL REQUIREMENTS: Whirlpool pump/motor 120V, 20A, 60HZ, Air Blower/Heater 120V, 20A, 60HZ. Dedicated GFCI required.

All dimensions are  $^{+/-} \frac{1}{4}$ " and subject to change without notice.

Available with an optional attachable skirt with removable access panel.



SPECIFICATIONS	WHIRLPOOL	SOAKER AIR/COMBO
59 5/8" x 59 5/8" x 27 1/4" x 27 1/4" x 46" x 20" Lip 2"		
Water Capacity - Operating Level .....	48.0 gal.	
- To Overflow .....	78.0 gal.	78.0 gal.
Approx. Unit Weight.....	170.0 lbs.	135.0 lbs.
Water Depth to Overflow .....	14 3/4"	14 3/4"



Sales & Customer Service  
 phone: 800.930.0050  
 fax: 800.930.0051  
 email: sales@luxurylinetubs.com  
 web: www.luxurylinetubs.com

Facilities  
 1610 James Rodgers Drive  
 Valdosta, GA 31601  
 510 E Jones St  
 Wilson, NC 27893




THE DEXTER I, II, III, IV & VII

# DEXTER I, II, III, IV & VII

DEXTER I	WHIRLPOOL	6042DW	DEXTER III	WHIRLPOOL	6036DW
DEXTER I	AIR BATH	6042DA	DEXTER III	AIR BATH	6036DA
DEXTER I	COMBO BATH	6042DWA	DEXTER III	COMBO BATH	6036DWA
DEXTER I	TUB ONLY	6042DT	DEXTER III	TUB ONLY	6036DT

DEXTER II	WHIRLPOOL	7242DW	DEXTER IV	WHIRLPOOL	7236DW
DEXTER II	AIR BATH	7242DA	DEXTER IV	AIR BATH	7236DA
DEXTER II	COMBO BATH	7242DWA	DEXTER IV	COMBO BATH	7236DWA
DEXTER II	TUB ONLY	7242DT	DEXTER IV	TUB ONLY	7236DT

DEXTER VII	WHIRLPOOL	6642DW
DEXTER VII	AIR BATH	6642DA
DEXTER VII	COMBO BATH	6642DWA
DEXTER VII	TUB ONLY	6642DT




**INSTALLATION NOTES:** Install this acrylic fixture according to the installation manual. Confirm specifications before starting installation.

**ELECTRICAL REQUIREMENTS:** Whirlpool pump/motor 120V, 20A, 60HZ, Air Blower/Heater 120V, 20A, 60HZ. Dedicated GFCI required.

All dimensions are  $\pm \frac{1}{4}$ " and subject to change without notice.

Available with an optional attachable skirt with removable access panel.



MODEL #	A	B	C	D	E	F	G	H
6036	36	60	21 1/2	22	36	10	18	5 1/2
7236	36	72	21 1/2	22	48	10	18	5 1/2
6042	41 3/4	59 1/2	21 1/2	27	36	9	21	5 1/2
6642	41 3/4	65 3/4	21 1/2	27	41	11	20 5/8	5 1/2
7242	41 5/8	71 1/2	21 1/2	28	45	11	20 3/4	5 1/2

MODEL #	WATER CAPACITY OPERATING LEVEL	WATER CAPACITY TO OVERFLOW	WATER DEPTH TO OVERFLOW	APPROX. UNIT WT.
6036 WHIRL/AIR/COMBO	42 gal.	51 gal.	15 1/4	135 lbs.
6036 SOAKER	-	51 gal.	15 1/4	110 lbs.
7236 WHIRL/AIR/COMBO	54 gal.	63 gal.	15 1/2	150 lbs.
7236 SOAKER	-	63 gal.	15 1/2	125 lbs.
6042 WHIRL/AIR/COMBO	45 gal.	56 gal.	15 1/4	140 lbs.
6042 SOAKER	-	56 gal.	15 1/4	105 lbs.
6642 WHIRL/AIR/COMBO	47 gal.	65 gal.	16	148 lbs.
6642 SOAKER	-	65 gal.	16	113 lbs.
7242 WHIRL/AIR/COMBO	59 gal	75 gal.	16	155 lbs.
7242 SOAKER	-	75 gal.	16	120 lbs.



Sales & Customer Service  
phone: 800.930.0050  
fax: 800.930.0051  
email: sales@luxurylinetubs.com  
web: www.luxurylinetubs.com

Facilities  
1610 James Rodgers Drive  
Valdosta, GA 31601  
510 E Jones St  
Wilson, NC 27893




**THE DEXTER V & VI**

# D E X T E R V & VI

V	DEXTER V	WHIRLPOOL	6042DWSR/SL*
	DEXTER V	AIR BATH	6042DASR/SL*
	DEXTER V	COMBO BATH	6042DWASR/SL*
	DEXTER V	TUB ONLY	6042DTSR/SL*
VI	DEXTER VI	WHIRLPOOL	7242DWSR/SL*
	DEXTER VI	AIR BATH	7242DASR/SL*
	DEXTER VI	COMBO BATH	7242DWASR/SL*
	DEXTER VI	TUB ONLY	7242DTSR/SL*

\* Left or Right Drain




INSTALLATION NOTES: Install this acrylic fixture according to the installation manual. Confirm specifications before starting installation.

ELECTRICAL REQUIREMENTS: Whirlpool pump/motor 120V, 20A, 60HZ, Air Blower/Heater 120V, 20A, 60HZ. Dedicated GFCI required.

All dimensions are  $\pm \frac{1}{4}$ " and subject to change without notice.

All models shown are made with an integral skirt and an integral tiling flange

Access panels on skirts are provided for all tubs with pumps, blowers, heaters




MODEL #	A	B	C	D	E	F	G	H
6042	41 $\frac{3}{4}$	59 $\frac{7}{8}$	21 $\frac{1}{2}$	26	36	9	20 $\frac{5}{8}$	3 $\frac{1}{2}$
7242	41 $\frac{3}{4}$	71 $\frac{3}{4}$	21 $\frac{1}{2}$	28	45	11	20 $\frac{5}{8}$	3 $\frac{1}{2}$

MODEL #	WATER CAPACITY OPERATING LEVEL	WATER CAPACITY TO OVERFLOW	WATER DEPTH TO OVERFLOW	APPROX. UNIT WT.
6042 WHIRL/AIR/COMBO	38 gal.	56 gal.	15 $\frac{1}{4}$	140 lbs.
6042 SOAKER	-	56 gal.	15 $\frac{1}{4}$	105 lbs.
7242 WHIRL/AIR/COMBO	59 gal.	75 gal.	16	155 lbs.
7242 SOAKER	-	75 gal.	16	120 lbs.



Sales & Customer Service  
phone: 800.930.0050  
fax: 800.930.0051  
email: sales@luxurylinetubs.com  
web: www.luxurylinetubs.com

Facilities  
1610 James Rodgers Drive  
Valdosta, GA 31601  
510 E Jones St  
Wilson, NC 27893





**THE GRAYSON IV & VI**

# GRAYSON IV & VII

IV	GRAYSON WHIRLPOOL	6032GWS L/R*
	GRAYSON AIR BATH	6032GAS L/R*
	GRAYSON COMBO BATH	6032GWAS L/R*
	GRAYSON TUB ONLY	6032GTS L/R*
VI	GRAYSON WHIRLPOOL	7236GWS L/R*
	GRAYSON AIR BATH	7236GAS L/R*
	GRAYSON COMBO BATH	7236GWAS L/R*
	GRAYSON TUB ONLY	7236GTS L/R*

\* Left or Right Drain




INSTALLATION NOTES: Install this acrylic fixture according to the installation manual. Confirm specifications before starting installation.

ELECTRICAL REQUIREMENTS: Whirlpool pump/motor 120V, 20A, 60HZ, Air Blower/Heater 120V, 20A, 60HZ. Dedicated GFCI required.

All dimensions are  $\pm \frac{1}{4}$ " and subject to change without notice.

All models shown are made with an integral skirt and integral tiling flange

Access panels on skirts are provided for all tubs with pumps, blowers, heaters




MODEL #	A	B	C	D	E	F	G	H
6032	31 1/2	59 3/4	22 1/2	21	48	8 1/2	15 1/2	3
7236								

MODEL #	WATER CAPACITY OPERATING LEVEL	WATER CAPACITY TO OVERFLOW	WATER DEPTH TO OVERFLOW	APPROX. UNIT WT.
6032 WHIRL/AIR/COMBO	65 gal.	75 gal.	14	120 lbs.
6032 SOAKER	-	75 gal.	14	85 lbs.
7236 WHIRL/AIR/COMBO				
7236 SOAKER				



Sales & Customer Service  
phone: 800.930.0050  
fax: 800.930.0051  
email: sales@luxurylinetubs.com  
web: www.luxurylinetubs.com

Facilities  
1610 James Rodgers Drive  
Valdosta, GA 31601  
510 E Jones St  
Wilson, NC 27893



**THE INGLEWOOD**


# INGLEWOOD

INGLEWOOD	WHIRLPOOL	5638IW
INGLEWOOD	AIR BATH	5638IA
INGLEWOOD	COMBO BATH	5638IWA
INGLEWOOD	TUB ONLY	5638IT



INSTALLATION NOTES: Install this acrylic fixture according to the installation manual. Confirm specifications before starting installation.

ELECTRICAL REQUIREMENTS: Whirlpool pump/motor 120V, 20A, 60HZ, Air Blower/Heater 120V, 20A, 60HZ. Dedicated GFCI required.

All dimensions are  $\pm \frac{1}{4}$ " and subject to change without notice.



SPECIFICATIONS	WHIRLPOOL	SOAKER AIR/COMBO
<hr/>		
56" x 38" x 21"		
Water Capacity - Operating Level .....	42.0 gal.	
- To Overflow .....	50.0 gal.	50.0 gal.
Approx. Unit Weight.....	130.0 lbs.	100.0 lbs.
Water Depth to Overflow .....	12 1/2"	12 1/2"



Sales & Customer Service  
 phone: 800.930.0050  
 fax: 800.930.0051  
 email: sales@luxurylinetubs.com  
 web: www.luxurylinetubs.com


Facilities  
 1610 James Rodgers Drive  
 Valdosta, GA 31601  
 510 E Jones St  
 Wilson, NC 27893



**THE KINGSTON I, II, III & VII**

# KINGSTON I, III, IIII & VII

I	KINGSTON I	WHIRLPOOL	6032KW
	KINGSTON I	AIR BATH	6032KA
	KINGSTON I	COMBO BATH	6032KWA
	KINGSTON I	TUB ONLY	6032KT
II	KINGSTON II	WHIRLPOOL	6036KW
	KINGSTON II	AIR BATH	6036KA
	KINGSTON II	COMBO BATH	6036KWA
	KINGSTON II	TUB ONLY	6036KT
III	KINGSTON III	WHIRLPOOL	7236KW
	KINGSTON III	AIR BATH	7236KA
	KINGSTON III	COMBO BATH	7236KWA
	KINGSTON III	TUB ONLY	7236KT
VII	KINGSTON VII	WHIRLPOOL	6636KW
	KINGSTON VII	AIR BATH	6636KTA
	KINGSTON VII	COMBO BATH	6636KWA
	KINGSTON VII	TUB ONLY	6636KT




INSTALLATION NOTES: Install this acrylic fixture according to the installation manual. Confirm specifications before starting installation.

ELECTRICAL REQUIREMENTS: Whirlpool pump/motor 120V, 20A, 60HZ, Air Blower/Heater 120V, 20A, 60HZ. Dedicated GFCI required.

All dimensions are  $\pm \frac{1}{4}$ " and subject to change without notice.

Available with an optional attachable skirt with removable access panel.



MODEL #	A	B	C	D	E	F	G	H
6032		31 $\frac{7}{8}$	59 $\frac{3}{4}$	21 $\frac{1}{2}$	16	37	9 $\frac{1}{2}$	16
6036		35 $\frac{7}{8}$	59 $\frac{7}{8}$	21 $\frac{1}{2}$	19	37	9 $\frac{7}{8}$	18
7236		35 $\frac{5}{8}$	71 $\frac{5}{8}$	21 $\frac{1}{2}$	19	50	10 $\frac{1}{4}$	18
6636	36	65 $\frac{3}{4}$	21 $\frac{1}{2}$	19	44	10	18	5 $\frac{1}{2}$

MODEL #	WATER CAPACITY OPERATING LEVEL	WATER CAPACITY TO OVERFLOW	WATER DEPTH TO OVERFLOW	APPROX. UNIT WT.
6032 WHIRL/AIR/COMBO	41 gal.	54 gal.	15	120 lbs.
6032 SOAKER	-	54 gal.	15	85 lbs.
6036 WHIRL/AIR/COMBO	44 gal.	58 gal.	16	135 lbs.
6036 SOAKER	-	58 gal.	16	100 lbs.
7236 WHIRL/AIR/COMBO	51 gal.	71 gal.	16	145 lbs.
7236 SOAKER	-	71 gal.	16	110 lbs.
6636 WHIRL/AIR/COMBO	47 gal.	64 gal.	15	140 lbs.
6636 SOAKER	-	64 gal.	15	105 lbs.



Sales & Customer Service  
phone: 800.930.0050  
fax: 800.930.0051  
email: sales@luxurylinetubs.com  
web: www.luxurylinetubs.com


Facilities  
1610 James Rodgers Drive  
Valdosta, GA 31601  
510 E Jones St  
Wilson, NC 27893



**THE KINGSTON IV, V, & VI**

# KINGSTON IV, V & VI

IV	KINGSTON IV	WHIRLPOOL	6032KWSR/SL*
V	KINGSTON IV	AIR BATH	6032KASR/SL*
	KINGSTON IV	COMBO BATH	6032KWASR/SL*
	KINGSTON IV	TUB ONLY	6032KTSR/SL*
	KINGSTON V	WHIRLPOOL	6036KWSR/SL*
	KINGSTON V	AIR BATH	6036KASR/SL*
	KINGSTON V	COMBO BATH	6036KWASR/SL*
	KINGSTON V	TUB ONLY	6036KTSR/SL*
VI	KINGSTON VI	WHIRLPOOL	7236KWSR/SL*
	KINGSTON VI	AIR BATH	7236KASR/SL*
	KINGSTON VI	COMBO BATH	7236KWASR/SL*
	KINGSTON VI	TUB ONLY	7236KTSR/SL*



MODEL #	A	B	C	D	E	F	G	H
6032	32	59 3/4	21 1/2	16	37	9 1/2	16	5 1/2
6036	36	59 3/4	21 1/2	19	37	10	18	5 1/2
7236	36	71 3/4	21 1/2	19	50	10	18	5 1/2

INSTALLATION NOTES: Install this acrylic fixture according to the installation manual. Confirm specifications before starting installation.



ELECTRICAL REQUIREMENTS: Whirlpool pump/motor 120V, 20A, 60HZ, Air Blower/Heater 120V, 20A, 60HZ. Dedicated GFCI required.

All dimensions are +/- 1/4" and subject to change without notice.

All models shown have an integral skirt and integral up flange.

Access panels on the skirt are provided for all tubs with pumps, blowers, and heaters.

\* Left or Right Drain



MODEL #	WATER CAPACITY OPERATING LEVEL	WATER CAPACITY TO OVERFLOW	WATER DEPTH TO OVERFLOW	APPROX. UNIT WT.
6032 WHIRL/AIR/COMBO	41 gal.	54 gal.	16 3/4	120 lbs.
6032 SOAKER	-	54 gal.	16 3/4	85 lbs.
6036 WHIRL/AIR/COMBO	44 gal.	58 gal.	16 1/2	135 lbs.
6036 SOAKER	-	58 gal.	16 1/2	100 lbs.
7236 WHIRL/AIR/COMBO	51 gal.	71 gal.	16 1/2	145 lbs.
7236 SOAKER		71 gal.	16 1/2	110 lbs.



Sales & Customer Service  
phone: 800.930.0050  
fax: 800.930.0051  
email: sales@luxurylinetubs.com  
web: www.luxurylinetubs.com

Facilities  
1610 James Rodgers Drive  
Valdosta, GA 31601  
510 E Jones St  
Wilson, NC 27893



THE LINDSY I & II

# LINDSAY II & III



I	LINDSY I	WHIRLPOOL	7248LW
	LINDSY I	AIR BATH	7248LA
	LINDSY I	COMBO BATH	7248LWA
	LINDSY I	TUB ONLY	7248LT
II	LINDSY II	WHIRLPOOL	7254LW
	LINDSY II	AIR BATH	7254LA
	LINDSY II	COMBO BATH	7254LWA
	LINDSY II	TUB ONLY	7254LT

INSTALLATION NOTES: Install this acrylic fixture according to the installation manual. Confirm specifications before starting installation.

ELECTRICAL REQUIREMENTS: Whirlpool pump/motor 120V, 20A, 60HZ, Air Blower/Heater 120V, 20A, 60HZ. Dedicated GFCI required.

All dimensions are  $\pm \frac{1}{4}$ " and subject to change without notice.

Available with an optional attachable skirt with removable access panel.



MODEL #	A	B	C	D	E	F	G	H
7248	48	72	26	30	42	24	36	5 1/2
7254	53 5/8	71 5/8	26	40	42	26 3/4	35 3/4	5 1/2

MODEL #	WATER CAPACITY OPERATING LEVEL	WATER CAPACITY TO OVERFLOW	WATER DEPTH TO OVERFLOW	APPROX. UNIT WT.
7248 WHIRL/AIR/COMBO	70 gal	127 gal	16 1/4	205 lbs.
7248 SOAKER	-	127 gal	16 1/4	170 lbs.
7254 WHIRL/AIR/COMBO	80 gal.	140 gal	16	218 lbs.
7254 SOAKER	-	140 gal	16	183 lbs.



Sales & Customer Service  
phone: 800.930.0050  
fax: 800.930.0051  
email: sales@luxurylinetubs.com  
web: www.luxurylinetubs.com

Facilities  
1610 James Rodgers Drive  
Valdosta, GA 31601  
510 E Jones St  
Wilson, NC 27893



**THE MADISON I, II & III**

# MADISON II, III & IIII



I	MADISON I	WHIRLPOOL	6042MW
I	MADISON I	AIR BATH	6042MA
I	MADISON I	COMBO BATH	6042MWA
I	MADISON I	TUB ONLY	6042MT
II	MADISON II	WHIRLPOOL	7242MW
	MADISON II	AIR BATH	7242MA
	MADISON II	COMBO BATH	7242MWA
	MADISON II	TUB ONLY	7242MT
III	MADISON III	WHIRLPOOL	7248MW
	MADISON III	AIR BATH	7248MA
	MADISON III	COMBO BATH	7248MWA
	MADISON III	TUB ONLY	7248MT

INSTALLATION NOTES: Install this acrylic fixture according to the installation manual. Confirm specifications before starting installation.

ELECTRICAL REQUIREMENTS: Whirlpool pump/motor 120V, 20A, 60HZ, Air Blower/Heater 120V, 20A, 60HZ. Dedicated GFCI required.

All dimensions are  $\pm \frac{1}{4}$ " and subject to change without notice.

Available with an optional attachable skirt with removable access panel.



MODEL #	A	B	C	D	E	F	G	H
6042	42	60	23	25	38	30	12	5 1/2
7242	41 1/8	71 3/4	23	25	42	35 3/4	12	5 1/2
7248	48	72 1/2	23	31	42	36 1/4	12	5 1/2

MODEL #	WATER CAPACITY OPERATING LEVEL	WATER CAPACITY TO OVERFLOW	WATER DEPTH TO OVERFLOW	APPROX. UNIT WT.
6042 WHIRL/AIR/COMBO	44 gal.	90 gal.	16 3/4	170 lbs.
6042 SOAKER	-	90 gal.	16 3/4	135 lbs.
7242 WHIRL/AIR/COMBO	56 gal.	101 gal.	17	185 lbs.
7242 SOAKER	-	101 gal.	17	150 lbs.
7248 WHIRL/AIR/COMBO	65 gal.	112 gal.	17 1/4	200 lbs.
7248 SOAKER		112 gal.	17 1/4	165 lbs.



Sales & Customer Service  
phone: 800.930.0050  
fax: 800.930.0051  
email: sales@luxurylinetubs.com  
web: www.luxurylinetubs.com

Facilities  
1610 James Rodgers Drive  
Valdosta, GA 31601  
510 E Jones St  
Wilson, NC 27893



## THE NEWPORT

ALSO AVAILABLE WITH AN OPTIONAL  
ATTACHED SKIRT WITH REMOVABLE ACCESS PANEL

# NEWPORT


NEWPORT	WHIRLPOOL	6060NW
NEWPORT	AIR BATH	6060NA
NEWPORT	COMBO BATH	6060NWA
NEWPORT	TUB ONLY	6060NT

INSTALLATION NOTES: Install this acrylic fixture according to the installation manual. Confirm specifications before starting installation.



ELECTRICAL REQUIREMENTS: Whirlpool pump/motor 120V, 20A, 60HZ, Air Blower/Heater 120V, 20A, 60HZ. Dedicated GFCI required.

All dimensions are  $\pm \frac{1}{4}$ " and subject to change without notice.

Available with attachable skirt with removable access panel.



SPECIFICATIONS	WHIRLPOOL	SOAKER AIR/COMBO
59 3/4" x 59 3/4" x 23" x 20" x 20" x 55 3/8" Lip 2"		
Water Capacity - Operating Level .....	58.0 gal.	
- To Overflow .....	80.0 gal.	80.0 gal.
Approx. Unit Weight.....	175.0 lbs.	140.0 lbs.
Water Depth to Overflow .....	17 3/4	17 3/4



Sales & Customer Service  
phone: 800.930.0050  
fax: 800.930.0051  
email: sales@luxurylinetubs.com  
web: www.luxurylinetubs.com

Facilities  
1610 James Rodgers Drive  
Valdosta, GA 31601  
510 E Jones St  
Wilson, NC 27893



THE UNITY


# UNITY

UNITY	WHIRLPOOL	7242UW
UNITY	AIR BATH	7242UA
UNITY	COMBO BATH	7242UWA
UNITY	TUB ONLY	7242UT

INSTALLATION NOTES: Install this acrylic fixture according to the installation manual. Confirm specifications before starting installation.


ELECTRICAL REQUIREMENTS: Whirlpool pump/motor 120V, 20A, 60HZ, Air Blower/Heater 120V, 20A, 60HZ. Dedicated GFCI required.

All dimensions are  $\pm \frac{1}{4}$ " and subject to change without notice.



#### SPECIFICATIONS

WHIRLPOOL	SOAKER AIR/COMBO
$41\frac{3}{4}'' \times 74\frac{1}{2}'' \times 31\frac{1}{2}''$ Lip 2"	
Water Capacity - Operating Level .....	60.0 gal.
- To Overflow .....	76.0 gal.
Approx. Unit Weight.....	165.0 lbs.
Water Depth to Overflow .....	17.75
	17.75



#### Sales & Customer Service

phone: 800.930.0050  
fax: 800.930.0051  
email: sales@luxurylinetubs.com  
web: www.luxurylinetubs.com

#### Facilities

1610 James Rodgers Drive  
Valdosta, GA 31601  
  
510 E Jones St  
Wilson, NC 27893



## THE VINSON


# VINSON

VINSON	WHIRLPOOL	7242VW
VINSON	AIR BATH	7242VA
VINSON	COMBO BATH	7242VWA
VINSON	TUB ONLY	7242VT



INSTALLATION NOTES: Install this acrylic fixture according to the installation manual. Confirm specifications before starting installation.

ELECTRICAL REQUIREMENTS: Whirlpool pump/motor 120V, 20A, 60HZ, Air Blower/Heater 120V, 20A, 60HZ. Dedicated GFCI required.

All dimensions are  $\pm \frac{1}{4}$ " and subject to change without notice.



SPECIFICATIONS	WHIRLPOOL	SOAKER AIR/COMBO
<i>72" x 42" x 23" Lip 2"</i>		
Water Capacity - Operating Level .....	45.0 gal.	
- To Overflow .....	82.0 gal.	82.0 gal.
Approx. Unit Weight.....	190.0 lbs.	155.0 lbs.
Water Depth to Overflow .....	18 1/4	18 1/4



Sales & Customer Service  
 phone: 800.930.0050  
 fax: 800.930.0051  
 email: sales@luxurylinetubs.com  
 web: www.luxurylinetubs.com

Facilities  
 1610 James Rodgers Drive  
 Valdosta, GA 31601  
 510 E Jones St  
 Wilson, NC 27893

LUXURY LINE



Richmond



Franklin



Raleigh II



Raleigh II



Hugo Plus



Savannah I Plus



Savannah II Plus



Galloway I Plus



Galloway II Plus



Sales & Customer Service

phone: 800.930.0050  
fax: 800.930.0051  
email: sales@luxurylinetubs.com  
web: www.luxurylinetubs.com

Facilities

1610 James Rodgers Drive  
Valdosta, GA 31601  
510 E Jones St  
Wilson, NC 27893

LUXURY LINE




Baldwin I Plus



Baldwin II Plus



Evan



Bolton



Kenwood



Zenith



Lark



Pacer



Shiloh



Jackson



Pearson



Kipsler



Sales & Customer Service

phone: 800.930.0050

fax: 800.930.0051

email: sales@luxurylinetubs.com

web: www.luxurylinetubs.com

Facilities

1610 James Rodgers Drive

Valdosta, GA 31601


510 E Jones St

Wilson, NC 27893

# TIFTON II, III, IIII, IV & V

I	WHIRLPOOL	4730WIWR/L	III	WHIRLPOOL	5126WIWR/L
I	AIR BATH	4730WIAR/L	III	AIR BATH	5126WIAR/L
I	COMBO BATH	4730WICR/L	III	COMBO BATH	5126WICR/L
I	TUB ONLY	4730WITR/L	III	TUB ONLY	5126WITR/L
II	WHIRLPOOL	5031WIWR/L	IV	WHIRLPOOL	5430WIWR/L
II	AIR BATH	5031WIAR/L	IV	AIR BATH	5430WIAR/L
II	COMBO BATH	5031WICR/L	IV	COMBO BATH	5430WICR/L
II	TUB ONLY	5031WITR/L	IV	TUB ONLY	5430WITR/L
V	WHIRLPOOL	6030WIWR/L			
V	AIR BATH	6030WIAR/L			
V	COMBO BATH	6030WICR/L			
V	TUB ONLY	6030WITR/L			

\* Left or Right Drain



INSTALLATION NOTES: Install this acrylic fixture according to the installation manual. Confirm specifications before starting installation.


ELECTRICAL REQUIREMENTS: Whirlpool pump/motor 120V, 20A, 60HZ, Air Blower/Heater 120V, 20A, 60HZ. Dedicated GFCI required.

Tub is supported by a rigid stainless steel frame with five leveling legs.

All dimensions are  $\pm \frac{1}{4}$ " and subject to change without notice.

All models shown made with integral skirt and integral tiling flange.

Step height is 7-1/2"



MODEL #	A	B	C	D	E	F	G	H	I	J
4730	30	47	38	22 1/2	20	18 1/2	13 1/2	14 1/2	11	20
5031	31	50	38	23 1/2	21	22	11	15	12	21 3/4
5126	26 1/2	51	38	19 1/2	17 3/4	22	10 1/4	12 3/4	10 3/4	17 1/2
5430	30	54	38	22 1/2	20	20	10	14 1/2	12 1/2	22 1/4
6030	30	59 1/2	38	22 3/4	20	26	13 1/2	14 1/2	13 1/2	21 1/2

MODEL #	WATER CAPACITY OPERATING LEVEL	WATER CAPACITY TO OVERFLOW	WATER DEPTH TO OVERFLOW	APPROX. UNIT WT.
4730 WHIRL/AIR/COMBO	45 gal.	51 gal.	29 1/2	157 lbs.
4730 SOAKER	-	51 gal.	29 1/2	120 lbs.
5031 WHIRL/AIR/COMBO	50 gal.	57 gal.	29 1/2	170 lbs.
5031 SOAKER	-	57 gal.	29 1/2	140 lbs.
5126 WHIRL/AIR/COMBO	53 gal.	60 gal.	29 1/2	179 lbs.
5126 SOAKER	-	60 gal.	29 1/2	144 lbs.
5430 WHIRL/AIR/COMBO	55 gal.	62 gal.	29 1/2	195 lbs.
5430 SOAKER	-	62 gal.	29 1/2	154 lbs.
6030 WHIRL/AIR/COMBO	60 gal.	67 gal.	29 1/2	215 lbs.
6030 SOAKER	-	67 gal.	29 1/2	169 lbs.



#### Sales & Customer Service

phone: 800.930.0050

fax: 800.930.0051

email: sales@luxurylinetubs.com

web: www.luxurylinetubs.com

#### Facilities

1610 James Rodgers Drive

Valdosta, GA 31601

510 E Jones St

Wilson, NC 27893

# CUSTOMER REVIEWS

"Perfect Tub for my elderly mother" - *Grand Rapids, MI*

"Easy to enter/exit" - *Mitchell, IN*

"A great price for this style tub" - *Fort Valley, GA*

"High quality, durable, nice size" - *Cotati, CA*

"Quick drain" - *New Orleans, LA*

"My special needs son loves this tub" - *Charleston WV*

# WARRANTY INFORMATION

## Lifetime Warranty

- Door Seal
- Pumps & Blowers
- Tub Shell

## Five Year Warranty - Components

# WALK IN TUBS



- Durable, high gloss Acrylic
- Stainless Steel Frame
- 17" Seat
- Safety grab bar
- Integral tiling flange



### Sales & Customer Service

phone: 800.930.0050

fax: 800.930.0051

email: sales@luxurylinetubs.com

web: www.luxurylinetubs.com

### Facilities

1610 James Rodgers Drive

Valdosta, GA 31601

510 E Jones St

Wilson, NC 27893



**LUXURYLINETUBS.com**

Phone 800.930.0050 Fax 800.930.0051

Email [sales@luxurylinetubs.com](mailto:sales@luxurylinetubs.com)

